

# HelloGlass: Good advice for safety glazing

HELLOGLASS

EVA INTERLAYER

EVA CLEAR FILM

EVA WHITE FILM

EVA THERMAL CUTTER

## HelloGlass

HelloGlass.com: Advice for glazing

### Archives

September 2015 (12)

August 2015 (30)

July 2015 (31)

June 2015 (11)

May 2015 (7)

April 2015 (34)

March 2015 (25)

February 2015 (4)

December 2014 (1)

November 2014 (8)

October 2014 (2)

September 2014 (4)


EVAFORCE INTERLAYER With excellent durability against heat, moisture and UV

Posted on [September 15, 2015](#) by [Hello@HelloGlass.com](#)



- August 2014 (5)
- July 2014 (3)
- June 2014 (4)
- April 2014 (5)
- March 2014 (12)
- July 2013 (6)
- June 2013 (12)
- May 2013 (2)
- April 2013 (12)
- March 2013 (1)
- December 2012 (2)
- November 2012 (7)
- October 2012 (19)
- September 2012 (1)
- August 2012 (5)
- July 2012 (35)
- June 2012 (8)
- May 2012 (17)
- April 2012 (1)
- March 2012 (32)
- February 2012 (17)
- January 2012 (1)
- November 2011 (1)
- October 2011 (4)
- August 2011 (1)

Search ...



**cnc@cncnext.com**

**www.c-n-c.com**

**cnc@cncglass.com**

**www.cncglass.com**

**cnc@cncglass.com**

**www.cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**

**cnc@cncglass.com**

**www.cncglass.com**

**cnc@cncglass.com**

**www.cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**

**cnc@cncglass.com**

**www.cncglass.com**

**cnc@cncglass.com**

**www.cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**



[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cncglass.com](http://www.cncglass.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cnc.glass](http://www.cnc.glass)

[cnc@cncnext.com](mailto:cnc@cncnext.com)

[www.c-n-c.com](http://www.c-n-c.com)



[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cncglass.com](http://www.cncglass.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cnc.glass](http://www.cnc.glass)

**cnc@cncnext.com**

**www.c-n-c.com**

**cnc**

**cnc**

**cnc@cncglass.com**

**www.cncglass.com**

**cnc@cncglass.com**

**www.cnc.glass**



**cnc@cncnext.com**

**www.c-n-c.com**

**cnc@cncglass.com**

**www.cncglass.com**

**cnc@cncglass.com**

**www.cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**



**cnc@cncglass.com**

**www.cncglass.com**

**cnc@cncglass.com**

**www.cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**

Milky White/White Opaque  
99% Visible Light Transmittance  
EVA INTERLAYER FILM  
cnc@cncglass.com www.c-n-c.com

**cnc@cncglass.com**


**www.cncglass.com**




**cnc@cncglass.com**

**www.cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**





**cnc@cncglass.com**

**www.cncglass.com**

**cnc@cncglass.com**

**www.cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**

**cnc@cncglass.com**

**www.cncglass.com**

**cnc@cncglass.com**

**www.cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**



[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cncglass.com](http://www.cncglass.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cnc.glass](http://www.cnc.glass)

[cnc@cncnext.com](mailto:cnc@cncnext.com)

[www.c-n-c.com](http://www.c-n-c.com)



[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cncglass.com](http://www.cncglass.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cnc.glass](http://www.cnc.glass)

**cnc@cncnext.com**

**www.c-n-c.com**



**cnc@cncglass.com**

**www.cncglass.com**

**cnc@cncglass.com**

**cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**





**cnc@cncnext.com**

**www.c-n-c.com**



**cnc@cncglass.com**


**www.cncglass.com**

**cnc@cncglass.com**



**cnc.glass**


**cnc@cncnext.com**

**www.c-n-c.com**











[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cncglass.com](http://www.cncglass.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)

[cnc.glass](http://cnc.glass)

[cnc@cncnext.com](mailto:cnc@cncnext.com)

[www.c-n-c.com](http://www.c-n-c.com)



[cnc@cncglass.com](mailto:cnc@cncglass.com)


[www.cncglass.com](http://www.cncglass.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)

[cnc.glass](http://cnc.glass)

[cnc@cncnext.com](mailto:cnc@cncnext.com)

[www.c-n-c.com](http://www.c-n-c.com)



[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cncglass.com](http://www.cncglass.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)

[cnc.glass](http://cnc.glass)

[cnc@cncnext.com](mailto:cnc@cncnext.com)

[www.c-n-c.com](http://www.c-n-c.com)



[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cncglass.com](http://www.cncglass.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)

[cnc.glass](http://cnc.glass)



[cnc@cncnext.com](mailto:cnc@cncnext.com)

[www.c-n-c.com](http://www.c-n-c.com)



[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cncglass.com](http://www.cncglass.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)

[cnc.glass](http://cnc.glass)

[cnc@cncnext.com](mailto:cnc@cncnext.com)

[www.c-n-c.com](http://www.c-n-c.com)



[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cncglass.com](http://www.cncglass.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)

[cnc.glass](http://cnc.glass)

[cnc@cncnext.com](mailto:cnc@cncnext.com)

[www.c-n-c.com](http://www.c-n-c.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)


[www.cncglass.com](http://www.cncglass.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)

[cnc.glass](http://cnc.glass)

[cnc@cncnext.com](mailto:cnc@cncnext.com)

[www.c-n-c.com](http://www.c-n-c.com)



[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cncglass.com](http://www.cncglass.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)

[cnc.glass](http://cnc.glass)

[cnc@cncnext.com](mailto:cnc@cncnext.com)

[www.c-n-c.com](http://www.c-n-c.com)



[cnc@cncglass.com](mailto:cnc@cncglass.com)

[www.cncglass.com](http://www.cncglass.com)

[cnc@cncglass.com](mailto:cnc@cncglass.com)

[cnc.glass](http://cnc.glass)



**cnc@cncnext.com**

**www.c-n-c.com**



**cnc@cncglass.com**

**www.cncglass.com**

**cnc@cncglass.com**

**cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**



# HelloGlass



Posted in [Contact us: Hello@HelloGlass.com](#)


---

Wide operating temperature range up to 400° F  
GREEN TAPE

Posted on [September 13, 2015](#) by [Hello@HelloGlass.com](#)







**cnc@cncglass.com**

**www.cncglass.com**

**cnc@cncglass.com**

**www.cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**



Posted in [Contact us: Hello@HelloGlass.com](#)

## PET polyester high temperature masking tape

Posted on [September 12, 2015](#) by [Hello@HelloGlass.com](#)



**cnc@cncglass.com**




**www.cncglass.com**

**cnc@cncglass.com**

**www.cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**



**cnc@cncglass.com**

**www.cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**

**cnc@cncglass.com**

**www.cncglass.com**

**cnc@cncglass.com**

**www.cnc.glass**

**cnc@cncnext.com**

**www.c-n-c.com**

Posted in [Contact us: Hello@HelloGlass.com](mailto>Hello@HelloGlass.com)

Older posts

## cnc.glass

HEATING CUTTER TRIMMING SAFETY GLASS INTERLAYER EDGES

HEATING CUTTER for trimming safety glass interlayer eva

Bubbles Because Of Bad Vacuuming, EVA Laminated Glass Safety Glazing Case Study and Solutions By Peter Lin Case Study Bubbles Around EVA Interlayer Film Laminated Glass Edges by Peter Lin Common problems of EVA FILM(Ethylene-vinyl acetate)

EVAFORCE INTERLAYER to provide alternative methods for laminating glass

EVAFORCE INTERLAYER displays long term durability in outdoor usage

THERMAL HOT TRIMMER FOR LAMINATED GLASS EDGES

Polyester film with silicone adhesive TAPE

GREEN PET TAPE PET backing provides flexibilityconformability, solvent resistance, and chemical resistance

GREEN high temperature masking tape

EVA film is used to be an interlayer film sandwiched in between two pieces of glass

EVA GLASS LAMINATION INTERLAYER FILM

## EVA.GLASS

We cannot load blog data at this time.

## CNC Glass Interlayer

EVA (ethylene vinyl acetate copolymer) interlayer film for decorative laminated glass (1)

Laminated safety glass EVA-based densely cross-linked interlayer (18)



HEATING CUTTER TRIMMING SAFETY GLASS INTERLAYER EDGES (7)

HIGH TEMP GREEN TAPE FOR SAFETY GLASS INTERLAYER TRIMMING (1)

PET GREEN TAPE FOR GLASS LAMINATION SYSTEMS (7)

HEATING CUTTER for trimming safety glass interlayer eva (1)

THERMOCUTTER trimming safety glass interlayer (3)

EVAFORCE INTERLAYER to provide alternative methods for laminating glass (4)

EVAFORCE INTERLAYER With excellent durability against heat, moisture and UV (1)

EVAFORCE INTERLAYER easy lamination process with a wide variety of glass (3)

## Recent Posts

EVAFORCE INTERLAYER With excellent durability against heat, moisture and UV September 15, 2015

Wide operating temperature range up to 400° F GREEN TAPE September 13, 2015

PET polyester high temperature masking tape September 12, 2015

cncnext EVA Glass Interlayer, Safety Galzing Support Center September 10, 2015

GREEN PET TAPE FOR PVB EVA FILM September 8, 2015

TEFLON MESH FOR EVA FILM LAMINATING VACUUMING September 8, 2015

GREEN TAPE FOR EVA FILM September 7, 2015

GLASS INTERLAYER FILM EVA FILM September 6, 2015

THERMO GREEN RIBBON PET TAPE September 4, 2015

GLAZING GREEN THERMAL TAPE September 3, 2015

GLAZING HIGH TEMPERATURE GREEN TAPE FOR EVA PVB September 3, 2015

GLAZING PET GREEN TAPE September 2, 2015

GLASS GREEN TAPE August 31, 2015

Glazing Green tape August 31, 2015

GREEN TAPE FOR SAFETY GLASS August 30, 2015

PET GREEN TAPE FOR SAFETY GLAZING August 30, 2015

HIGH TEMP GREEN TAPE FOR GLAZING August 28, 2015

BACK TO HOME August 28, 2015

PACKING OF SILICONE VACUUM BAG August 28, 2015

PET GREEN TAPE THERMAL TAPE August 27, 2015

THERMAL GREEN TAPE FOR SAFETY GLAZING August 18, 2015

THERMAL GREEN TAPE FOR LAMINATED GLASS August 18, 2015

SAFETY GLAZING PURPOSE THERMAL GREEN TAPE August 16, 2015

SAFETY GLAZING PURPOSE THERMAL GREEN TAPE August 16, 2015

Smart film for glass laminating with eva film August 15, 2015


HOT KNIFE TRIMMER TIPS (3) August 14, 2015

EVA INTERLAYER FILM FOR SAFETY GLAZING August 14, 2015

Hot knife trimmer blades (13) August 13, 2015

SAFETY GLAZING GREEN TAPE August 13, 2015

EVA INTERLAYER FILM SAMPLES August 12, 2015

 Search ...